



Directory of Recognized Laboratories

December 22, 2023

BEIJING BUILDING MATERIAL TESTING ACADEMY CO LTD

NO. 17 YAXIN ROAD / FANGSHAN DISTRICT

BEIJING,

CHINA

Contact: ZHAO GANG

Phone: +86-13811784657

Fax: +86-10-88751941

Lab#: 0000097

Expires: 12/31/2023

Number of Employees: 45

Tests to Standards:

ASME:

ASME A112.14.1-2003 (R2008)

ASME A112.18.1-2018/ CSA B125.1-18 (except toxicity)

ASME A112.18.2-2020/ CSA B125.2-20

ASME A112.18.6-2017/ CSA B125.6-17

ASME A112.19.5-2017/ CSA B45.15-2017

ASME A112.19.14-2013

ASME A112.19.19-2016 (except section 6.5 Ammonia)

ASSE:

ASSE 1002-2020/ ASME A112.1002-2020/ CSA B125.12-20

ASSE 1016-2017/ASME A112.1016-2017/CSA B125.16-17

ASSE 1037-2020/ ASME A112.1037-2020/ CSA B125.37-2020

ASSE 1070-2020/ASME A112.1070-2020/CSA B125.70-20

ASTM:

ASTM F876-2020

EPA:

EPA WaterSense High Efficiency Flushing Urinal Specification, Version 1.0 Dated 2009-08-14

EPA WaterSense High-Efficiency Lavatory Faucet Specification, Version 1.0 Dated 2007-10-01

EPA WaterSense Specification for Showerheads, Version 1.1 Dated 2018-07-26

EPA WaterSense Specification for Tank-Type Toilets, Version 1.1 Dated 2011-05-20

IAPMO:

IAPMO PS 50-2019

IAPMO Z1157-2014e1

NSF:

NSF 372-2020

MISC:

AB 1953

BUILDING TECHNOLOGY RESEARCH LAB CENTER FOR ENVIRONMENTAL SYSTEMS/ STEVENS

1 CASTLE POINT TERRACE
HOBOKEN, NJ 07030
UNITED STATES
Contact: TSAN-LIANG SU

Phone: 201 216-5697
Fax: 201 216-8303

Lab#: 0000030
Expires: 12/31/2023
Number of Employees: 12

Tests to Standards:

ANSI:

ANSI Z358.1-2009

ASME:

ASME A112.1.2-2012
ASME A112.1.3-2000(R2010)
ASME A112.3.1-2007
ASME A112.4.1-2009
ASME A112.6.3-2001(R2007)
ASME A112.18.1-2018/CSA-B125.1(Except NSF 61 Toxicity)
ASME A112.18.1-2012/CSA B125.1-2012
ASME A112.18.2-2020/CSA B125.2:20
ASME A112.18.3-2002(R2012)
ASME A112.18.6-2017/ CSA B125.6-17
ASME A112.19.10-2003(R2008)
ASME A112.19.14-2013
ASME A112.19.2-2018/CSA B45.1-18
ASME A112.19.3-2022/CSA B45.4:22
ASME A112.19.5-2017/ CSA B45.15-17
ASME A112.36.2-1991(R2012)
ASME B16.23-2011(CSA, B158.1-1976)
ASME B16.29-2001

ASSE:

ASSE 1001-2021 (CSA B64.1.1:21)
ASSE 1002/ ASME A112.1002-2020/ CSA B125.12-20
ASSE 1003-2020
ASSE 1011-2017(CSA, CAN/CSA-B64 SERIES-2011)
ASSE 1012-2009
ASSE 1013-2011(CSA, CAN/CSA-B64.4-2011)
ASSE 1014-2005
ASSE 1015-2011
ASSE 1016-2011/ ASME A112.1016-2011/CSA B125.16-11
ASSE 1017-2009
ASSE 1018-2001
ASSE 1019-2011
ASSE 1020-2004 (CAN/CSA 64.1.2)
ASSE 1022-2017
ASSE 1024-2017
ASSE 1032-2004(R2011)
ASSE 1035-2020 (CSA,CAN/CSA-B64.7-2011)
ASSE 1037-2020/ ASME A112.1037-2020/ CSA B125.37-2020
ASSE 1044-2001
ASSE 1047-2011
ASSE 1048-2011
ASSE 1052-2016(CSA, CAN/CSA-B64 SERIES-2011)
ASSE 1053-2004
ASSE 1055-2018
ASSE 1056-2001
ASSE 1057-2012
ASSE 1062-2017
ASSE 1063-2008
ASSE 1066-1997
ASSE 1069-2005
ASSE 1070-2004
ASSE 1071-2012
ASSE 1079-2012(R2021)

ASTM:

ASTM D3311-2017

ASTM F409-2022 (except Section 5)

CSA:
CSA B45.13-14/ IAPMO Z1700-2014 (Witness Test Only)
CSA B45.5-17/ IAPMO Z124-2017
CSA B64 Series-2011
CSA B64.3-2011
CSA B125.3-2018 (Except Section 5.2 Coating)

EPA:
EPA WaterSense High-Efficiency Lavatory Faucet Specification, Version 1.2 Dated 2007-10-01
EPA WaterSense Specification for Tank-Type Toilets, Version 1.1 Dated 2011-05-20

IAPMO:
IAPMO/ANSI Z124.5-2013
IAPMO/ANSI Z124.7-2013
IAPMO/ANSI Z1033-2013 (except 4.2.1)
IAPMO IGC 128-2008
IAPMO IGC 128-2019
IAPMO IGC 157-2013
IAPMO IGC 163-2001r1
IAPMO IGC 168-2012
IAPMO IGC 241-2011a
IAPMO IGC 344-2019
IAPMO PS 50-2019
IAPMO PS 67-2010
IAPMO PS 69-2019
IAPMO PS 72-2007e1
IAPMO PS 76-2012a
IAPMO PS 79-2005
IAPMO SPS 5-2006
IAPMO TS 8-2009
IAPMO Z1033-2013
IAPMO Z1088-2019

NSF:
NSF 372-2011

MISC:
AB 1953
LADWP SPS

CHINA TESTING & CERTIFICATION INTERNATIONAL GROUP SHAANXI CO., LTD

CHINA BUILDING MATERIAL / CERTIFICATION TOWER, NORTH OF / HONGGUANG ROAD, WANGSI STREET

FENG DONG NEW TOWN,

Phone: 86-029-33575697

Lab#: 0000083

CHINA

Fax: 86-029-33575203

Expires: 6/30/2024

Contact: ZHANG FAN

Number of Employees: 16

Tests to Standards:

ASME:

ASME A112.4.2-2021/ CSA B45.16-21

ASME A112.6.2-2017

ASME A112.18.1-2018/CSA B 125.1-18 (Except Toxicity and Sections 5.4.3 and 5.13)

ASME A112.18.2-2020/ CSA B 125.2-20

ASME A112.18.6-2017/ CSA B125.6-17

ASME A112.19.1-2018/ CSA B45.2-2018 (except section 4.7.4)

ASME A112.19.2-2018/CSA B45.1-18

ASME A112.19.5-2017/ CSA B45.15-17

ASME A112.19.14-2013

ASSE:

ASSE 1002-2020/ASME A112.1002-2020/ CSA B125.12-20

ASSE 1014-2020

ASSE 1037-2020/ASME A112.1037-2020/CSA B125.37-2020

CSA:

CSA B45.5-22/ IAPMO Z124-2022 (Except section 5.10)

EPA:

EPA WaterSense High Efficiency Flushing Urinal Specification, Version 1.0 Dated 2009-08-14

EPA WaterSense Specification for Flushometer Valve Water Closets Version 1.0 Dated December 17,2015

EPA WaterSense Specification for Tank-Type Toilets, Version 1.2 Dated 2014-06-02

IAPMO:

IAPMO IGC 247-2007

IAPMO PS 50-2019

IAPMO/ANSI Z124.5-2013e1(R2018)

NSF:

NSF/ ANSI 372-2022

MISC:

AB 1953

AS 1076

AS 1172.1

AS 1172.2

ATS 5200.016

ATS 5200.017

LADWP-2005

CRT LABORATORIES (CALIFORNIA RESIN TESTING)

1680 N MAIN STREET
ORANGE, CA 92867
UNITED STATES
Contact: KEN LE JUENE

Phone: 714 283-2032
Fax: 714 283-1365

Lab#: 0000037
Expires: 3/31/2024
Number of Employees: 4

Tests to Standards:

ANSI:

ANSI A108, A118 & A136-2020

ASME:

ASME A112.3.4-2013/ CSA B45.13
ASME A112.6.3-2019
ASME A112.6.3-2016
ASME A112.6.4-2003 (R2008)
ASME A112.6.7-2022
ASME A112.14.1-2003 (R2008)
ASME A112.18.1-2018/ CSA B125.1-18(except sections: 4.9, 4.13 and 5.2)
ASME A112.18.2-2020/ CSA B125.2-20 (except sections: 5.2 & 5.4)
ASME A112.18.6-2009
ASME A112.18.6-2017 (Except Toxicity)

ASSE:

ASSE 1014-2005
ASSE 1016-2011/ ASME A112.1016-2011/CSA B125.16-11 (Except sections 4.6,4.7, 4.8 and 4.9)
ASSE 1061-2020 (Except: 4.1.1, 4.1.2 and 4.1.3)
ASSE 1072-2020 (Except: Section 4.1 and Ozone resistance part of 3.9)

ASTM:

ASTM B32-2008(sections 8.1, 8.1.1, 8.1.2,8.2, 8.2.1, 8.2.2,13.1, 13.1.1, 13.1.2, 13.1.3, 13.3.1, 13.3.2, 13.3.3, 13.3.4, 13.3.5)
ASTM B813-2016
ASTM C564-2020 (except 9.7)
ASTM C1053-2000 (R2010)
ASTM C1173-2022 (except section 10.1.4)
ASTM C1460-2017
ASTM C1460-2017
ASTM D1527-1999 (R2005)
ASTM D1784-2020
ASTM D1785-2015e1
ASTM D2000-18
ASTM D2846-2009be1
ASTM D2104-2003
ASTM D2235-2004 (R2011)
ASTM D2239-2012
ASTM D2241-2009
ASTM D2466-2006
ASTM D2467-2015
ASTM D2468-1996a
ASTM D2513-2012ae1
ASTM D2564-2012
ASTM D2661-2021(CSA, CAN/CSA-B181.1-M90)
ASTM D2665-2020(CSA, CAN/CSA-B181.2-11)
ASTM D2672-1996a (R2009)
ASTM D2680-2001 (R2009)
ASTM D2729-2011
ASTM D2737-2003
ASTM D2751-2005
ASTM D2855-1996 (R2010)
ASTM D3034-2008(CSA, CAN/CSA-B182.2-M90)
ASTM D3122-1995 (R2009)
ASTM D3212-2007
ASTM D3311-2011
ASTM D3350-2014
ASTM D3965-2011
ASTM D4068-2009 (except 14.4)
ASTM D4101-2014 (except section 13.1.7)

ASTM D5630-2013
ASTM F405-2005
ASTM F409-2012
ASTM F437-2009
ASTM F438-2009
ASTM F439-2009
ASTM F441-2009
ASTM F442-2012
ASTM F628-2012e1 (Section 6.4.4 only)
ASTM F656-2010
ASTM F667-2012
ASTM F794-2003 (R2009)
ASTM F810-2012
ASTM F876-2010e1
ASTM F877-2020
ASTM F891-2010
ASTM F949-2010
ASTM F1216-2016
ASTM F1412-2016
ASTM F1673-2010
ASTM F1743-2017
ASTM F1807-2018 (except 5)
ASTM F1924-2012
ASTM F1948-2015
ASTM F1960-2018a
ASTM F2158-2008
ASTM F2306-2014e1 (except section 7.8)
ASTM F2389-2019

AWWA:
AWWA C210-2007
AWWA C213-2015
AWWA C900-1997 (pipe sizes through 8")

CSA:
CSA B45.12-2013/ IAPMO Z402-2013
CSA B45.5-17/ANSI Z124-2017(except 5.10 and 5.12)
CSA B66-2021
CSA B272-1993 (R2008)
CSA CAN/CSA B70-M91

IAPMO:
IAPMO/ANSI Z124.5-2013
IAPMO/ANSI Z124.8-2013 (except 5.4,5.6, 5.7)
IAPMO IGC 120-2019 (Except Section 4.2)
IAPMO IGC 189-2019e1 (Except section 4.1)
IAPMO IGC 219-2019 (Except Section 5.1)
IAPMO IGC 224-2018
IAPMO IGC 262-2020 (Except Section 4.4)
IAPMO IGC 276-2019 (Except section 5.1)
IAPMO PS 37-1990 (except dielectric breakdown, High Humidity Insulation Resistance)
IAPMO PS 42-2013
IAPMO PS 51-2013
IAPMO PS 52-2019
IAPMO PS 54-2015 (Except Section 7.4)
IAPMO PS 63-2019
IAPMO PS 64 -2012ae1(except 4.1.1 and 6.4)
IAPMO PS 90-2012e1 (except 4.1.2)
IAPMO PS 94-2012
IAPMO PS 95-2018e2
IAPMO PS 106-2015e1
IAPMO PS 120-2004 with exception to chem analysis in section 4.1 (capable metal analysis portion)
IAPMO Z1000-2013
IAPMO Z1033-2013

NSF:
NSF 14-2016a

UL:
UL 651-1995

MISC:
Fingerprinting material using infrared and differential scanner

CSA INTERNATIONAL
8501 EAST PLEASANT VALLEY ROAD
CLEVELAND, OH 44131-5575
UNITED STATES
Contact: PETER EHLERS

Phone: 216 524-4990
Fax: 216 328-8118

Lab#: 0000054
Expires: 12/31/2023
Number of Employees: 100

Tests to Standards:

ASME:
ASME A112.14.3-2022/ CSA B481.1-22
ASME A112.14.4-2001

ASSE:
ASSE 1010-2021

CSA:
CSA B481-22

MISC:
PDI G101-20

FOUNDATION FOR CROSS-CONNECTION CONTROL & HYDRAULIC RESEARCH

3022 RIVERSIDE DR
LOS ANGELES, CA 90039
UNITED STATES
Contact: HENRY CHANG

Phone: 213 740-2032
Fax: 213 740-8399

Lab#: 0000023
Expires: 12/31/2023
Number of Employees: 14

Tests to Standards:

ASSE:

ASSE 1001-2021
ASSE 1003-23/CSA B356:23
ASSE 1013-2021
ASSE 1015-2011
ASSE 1020-2020
ASSE 1024-2027 (R2021)
ASSE 1047-2011 (Except Section 3.21)
ASSE 1048-2011 (Except Section 3.14)
ASSE 1055-2018
ASSE 1056-2013(Except 4.1 Materials)
ASSE 1060-2017(Except 4.1 Materials)

AWWA:

AWWA C510-2017
AWWA C511-2017

CSA:

CSA B64 Series- 2021

HOME INNOVATION RESEARCH LABS
400 PRINCE GEORGE'S BOULEVARD
UPPER MARLBORO, MD 20774-8731
UNITED STATES
Contact: DEANNA SEALE

Phone: 301 249-4000
Fax: 301 430-6180

Lab#: 0000006
Expires: 12/31/2023
Number of Employees: 80

Tests to Standards:

ASME:
ASME A112.19.15-2012
ASME A112.19.7-2012/CSA B45.10-12 except 5.3

CSA:
CSA B45.5-17/ IAPMO Z124-2017

IAPMO:
IAPMO/ANSI Z124.8-2013
IAPMO TS 11-2011a (Except 4.1 and 4.3)

IAPMO (GUANGZHOU) LABORATORY CO. LTD.

NO. 201, BUILDING A / YUSHU INDUSTRIAL PARK, / SCIENCE CITY
GUANGZHOU, 510663 Phone: 86-20-82260960
CHINA Fax: 86-20-82260856
Contact: JEFF HUANG

Lab#: 0000093
Expires: 12/31/2023
Number of Employees: 10

Tests to Standards:

AHAM:

AHAM DW-1-2019 APPENDIX E

ANSI:

ANSI Z124-2011
ANSI Z124.1.2-2011
ANSI Z124.3-2011
ANSI Z124.4-2011
ANSI Z358.1-2014

ASME:

ASME A112.3.4-2018/ CSA B45.9-18 (Except Section 4.2 and 4.10)
ASME A112.4.1-2009 (Except Section 3)
ASME A112.4.2-2021/CSA B45.16-21
ASME A112.4.14-2022 / CSA B125.14-2022
ASME A112.6.1M-1997 (R2012)
ASME A112.6.2-2017
ASME A112.6.3-2022/ CSA B79.3-22 (Except Sections 4.3 and 7)
ASME A112.6.4-2022/CSA B79.4:22
ASME A112.6.7-2022/ CSA B79.7-22 (Except No Metallic Material test)
ASME A112.14.1-2003 (R08) except 3.1 & 3.2
ASME A112.18.1-2018/CSA B125.1-18
ASME A112.18.2-2012/ CSA B125.2-12
ASME A112.18.2-2020/CSA B125.2-20
ASME A112.18.3-2002 (R2022)
ASME A112.18.6-2017(CSA B125.6-17)
ASME A112.18.8-2020
ASME A112.19.1-2018/ CSA B45.2-18
ASME A112.19.10-2017
ASME A112.19.12-2014
ASME A112.19.14-2013/CSA B45.4-13(R2018
ASME A112.19.15-2012 (Except Sections 2.3 & 2.5)
ASME A112.19.19-2016
ASME A112.19.2-2018/ CSA B45.1-18
ASME A112.19.3-2022/ CSA B45.4-22
ASME A112.19.5-2022/CSA B45.15-22
ASME A112.19.5-2017/CSA B45.15-17/IAPMOZ401-2011
ASME A112.19.7-2020/CSA B45.10-20
ASME A112.21.3M-85(R2017)
ASME A112.36.2-2022/ CSA B79.2-22(except no-metallic material test)
ASME B16.18-2012
ASME B16.22-2018
ASME B16.51-2021

ASSE:

ASSE 1001-2021
ASSE 1002-2020/ASME A112.1002-2020/CSA B125.12.2020
ASSE 1003-23/CSA B356:23
ASSE 1008-2020
ASSE 1010-2021 (except 3.1 & 3.2)
ASSE 1011-2023(CAN/CSA-B64 SERIES-2011)
ASSE 1012-2021 (CSA, CAN/CSA-B64 SERIES- 2011)
ASSE 1013-2021
ASSE 1014-2020
ASSE 1015-2021
ASSE 1016-2017/ASME A112.1016-2017/CSA B125.16-17
ASSE 1017-2023 (Except Section 3.2)
ASSE 1018-2023
ASSE 1019-2011
ASSE 1020-2020

ASSE 1022-2021
ASSE 1023-2020 (except section 1.2.8 and 1.2.10)
ASSE 1024-2023 (CSA, CAN/CSA-B64.3-2011)
ASSE 1037-2020/ ASME A112.1037-2020/ CSA B125.37-20
ASSE 1044-2023
ASSE 1052-2016
ASSE/IAPMO/ANSI/CAN 1055-2023
ASSE 1061-2020(except 4.1)
ASSE 1062-2017
ASSE 1070-2020/ASME A112.1070-2020/CSA B125.70-20 (Except Section 3.5 and 3.6)
ASSE 1072-2020 (Except Section 3.9)

ASTM:
ASTM A74-2017(CSA, CAN/CSA-B70-2012)
ASTM A888-2021(CSA-B70-2012)
ASTM B88-20 except Section 8
ASTM C564-2020
ASTM C1173-2022
ASTM C1277-2020
ASTM C1460-2021
ASTM C1540-2020 except section 4.1 and 5
ASTM D1785-15e1 (Except Section 5)
ASTM D1267-2020 (Except Section 5)
ASTM D2466-21
ASTM D2661-2021
ASTM D2665-2020
ASTM D2846-19a
ASTM D5926-15(2020) (Except Cell Class)
ASTM F409-2022 (except section 5)
ASTM F439-2019 (Except Section 5)
ASTM F628-2012e3
ASTM F876-2023
ASTM F877-2023 (for fitting only)
ASTM F891-2016
ASTM F1281-2017
ASTM F1282-2017
ASTM F1476-2007 (R2013) (Except Section 6 Material)
ASTM F1807-2023
ASTM F1960-2021 (Except Section 11)
ASTM F1970-2019 (Except Section 4)
ASTM F2098-2018
ASTM F2159-2023a (except section 5.1 & 5.2)

CISPI:
CISPI 301-2021
CISPI 310-2018

CSA:
CSA B45.11-17/ IAPMO Z401-2017
CSA B45.12-12/ IAPMO Z402-2013
CSA B45.13-14/ IAPMO Z1700-2014
CSA B45.5-22/ IAPMO Z124-2022 (Except sections 5.10 and 5.12)
CSA B45.8-18/ IAPMO Z403-2018 except 5.4 and 5.6
CSA B125.3-2022
CSA B125.5-2022/ IAPMO Z600-2022
CSA B137.5-20 (Except 6.5-6.7 & 6.11)
CSA B137.6-20
CSA B181.0-21(Except Section 4.3, 4.4, 5.4.1.5, 5.8, 6.17 and 6.19)
CSA B181.1-21 (Except Section 4.1, 4.3 and 5.15)
CSA B181.2-21 (Except Sections 4.1, 4.3, 5.14.4 and 5.14.5)
CSA B242-2005(R2016) (except section 4.3, 5 & 6)
CSA B602-2020
CSA B651-18
CSA/ ANSI LC 4-2022/ CSA 6.32-2022 (Except section 4.3 and 5.12)
CSA Z240.3.2-2008 Except Section 5.5
CSA Z8000-18 (Table 11.1 Item 19)

EPA:

EPA WaterSense High Efficiency Flushing Urinal Specification, Version 1.0 Dated 2009-08-14
EPA WaterSense High-Efficiency Lavatory Faucet Specification, Version 1.0 Dated 2007-10-01
EPA WaterSense Specification for Flushometer Valve Water Closets Version 1.0
EPA WaterSense Specification for Showerheads, Version 1.1 Dated 2018-07-26
EPA WaterSense Specification for Spray Sprinkler Bodies, Version 1.0 Dated 2017-09-21
EPA WaterSense Specification for Tank-Type Toilets, Version 1.2 Dated 2014-06-02

IAPMO:

IAPMO/ANSI/CAN Z1117-2022 (Except Section 4.2 (O Ring) and 4.3(Toxicity))

IAPMO IGC 45-2006
IAPMO IGC 86-2002
IAPMO IGC 100-2019
IAPMO IGC 109-2019
IAPMO IGC 122-2019
IAPMO IGC 128-2019
IAPMO IGC 127-2018 (Except Section 4.1.2 and 4.3)
IAPMO IGC 138-1999
IAPMO IGC 141-2008
IAPMO IGC 142 2012
IAPMO IGC 150-2009
IAPMO IGC 151-1999
IAPMO IGC 152-1999
IAPMO IGC 154-2019
IAPMO IGC 155-2008
IAPMO IGC 156-2021
IAPMO IGC 157-2013e1
IAPMO IGC 161-2014
IAPMO IGC 162-2019
IAPMO IGC 163-2019
IAPMO IGC 167-2014 (Except Material)
IAPMO IGC 168-2012e1
IAPMO IGC 170-2002r1 (except 4.1 & 4.2)
IAPMO IGC 171-2007(except section 7.2)
IAPMO IGC 182-2003
IAPMO IGC 192-2004 (except 6.0)
IAPMO IGC 193-2019
IAPMO IGC 194-2004a
IAPMO IGC 195-2013e1(except 4.1 and 4.2)
IAPMO IGC 198-2019e1
IAPMO IGC 204-2004
IAPMO IGC 206-2004
IAPMO IGC 207-2009a
IAPMO IGC 216-2005
IAPMO IGC 217-2011e1
IAPMO IGC 218-2005
IAPMO IGC 222-2005 (except Sec. 4.6)
IAPMO IGC 224-2018
IAPMO IGC 226-2019 (except Section 4.7)
IAPMO IGC 227-2006
IAPMO IGC 229-2006 (except Section 4.3)
IAPMO IGC 233-2019 (except section 4.2)
IAPMO IGC 235-2015 (except Sec. 5.5)
IAPMO IGC 236-2021
IAPMO IGC 248-2014
IAPMO IGC 252-2018 (w/ overflow)
IAPMO IGC 261-2015
IAPMO IGC 267-2015e1
IAPMO IGC 312-2018a (except 4.2)
IAPMO IGC 314-2015e1
IAPMO IGC 319-2016 (Except 4.3 & 5.2)
IAPMO PS 23-2022
IAPMO PS 25-2019
IAPMO PS 34-2019
IAPMO PS 37-2019 (except Section 3.4 and 4.1 material, 4.2)
IAPMO PS 42-2013
IAPMO PS 50-2019
IAPMO PS 53-2021 (Except section 4.2, 4.4, 4.5 & 4.6 Toxicity)
IAPMO PS 54-2015 (except section 7.2)

IAPMO PS 55-2013 (except section 4.3, 4.4, 4.5)
IAPMO PS 66-2023(Except 4.1.3, 4.3 and 5.2)
IAPMO PS 67-2010
IAPMO PS 69-2006 (except material)
IAPMO PS 69-2012e1(except section 5.1, 5.2)
IAPMO PS 72-2019
IAPMO PS 86-2019
IAPMO PS 90-2014 (except section 4.1.1)
IAPMO PS 94-2012e1 (Except Section 4.6)
IAPMO PS 95-2018e3
IAPMO PS 99-2007
IAPMO PS 104-2019
IAPMO PS 106-2015e1 (Except Section 4.7, 4.8, 4.9, 4.10, 5.2 and 5.5)
IAPMO PS 112 -2019(except section 3.1)
IAPMO PS 115 -2019(except 5.6)
IAPMO PS 116 -1999(except 4.4).
IAPMO PS 117-2019(except 4.3)
IAPMO TS 1-2011e1
IAPMO TS 8-2009
IAPMO TS 13-2014 Except Section 4.1
IAPMO TS 19-2010
IAPMO TS 20-2009
IAPMO TS 21-2006 (R2020)
IAPMO TS 22-1997e1 (R2020)
IAPMO TS 24-2009 (R2020)
IAPMO TS 25-2019 Except Section 4.2
IAPMO TS 34-1997e1 (R2020)
IAPMO TS 35-2016
IAPMO Z401-2011
IAPMO Z600-2011
IAPMO Z1033-2015 (Except section 4.2)
IAPMO Z1088-2019e1
IAPMO Z1157-2014e1
IAPMO Z1349-2021
IAPMO/ANSI Z124.5-2013e1
IAPMO/ANSI Z124.7-2013
IAPMO/ANSI Z124.8-2013e2

ICC:
ICC/ ANSI A117.1-2017 section 6 Plumbing

MSS:
MSS SP-67-2017
MSS SP-110-2010

NSF:
NSF/ANSI/CAN 372-2022
NSF/ANSI 14-2022 (except no-metallic material test)
NSF/ANSI 177-2014 (Section 5)

SAE:
SAE J1670-2008

MISC:
AB 1953
ASABE/ ICC 802-2014 (Except Chapter 4)
LADWP SPS-2005
MaP
IAPMO/ANSI WE STAND 2017 for Faucet, Showerhead, Water Closet and Urinal
CalGreen-2019 for Faucet, Showerhead, Water Closet and Urinal
LEED v4.1 for Faucet, Showerhead, Water Closet and Urinal

IAPMO INDIA PRIVATE LIMITED

NO. 43, PMR TOWER, 3RD FLOOR / ABOVE SBI / BERETENA, AGRAHARA
BANGALORE, KARNATAKA, 560100 Phone: 91 080 9980016429
INDIA Fax: 91 080 25743181
Contact: NEHA PANJIAR

Lab#: 0000104
Expires: 1/31/2024
Number of Employees: 8

Tests to Standards:

ASSE:

ASSE LEC #2004-2019 (Sections:3 (Except for Power Rating) and 4)

ASTM:

A888-2021 (Witness Test Only)

C1277-2020 (Witness Test Only)

CISPI:

CISPI 301-2021 (Witness Test Only)

CISPI 310-2020 (Witness Test Only)

CSA:

CSA B45.12-2013/ IAPMO Z402-2013 (R2018) (Witness Test Only)

CSA B70-2020 (Witness Test Only)

CSA B602-2020 (Witness Test Only)

IAPMO:

IAPMO/ ANSI Z601-2018 (Sections:4, 6 and 7)

NSF:

NSF/ ANSI 42-2022 (Sections: 4.1, 7.2.1, 7.3.2, 7.3.3, 7.3.4, 7.3.5, 7.3.7 and 7.5)

NSF/ ANSI 44-2024 (Sections: 4.1, 7.1.1, 7.2.2 and 7.2.4)

NSF/ ANSI 53-2022 (Sections: 4.1, 7.2.1, 7.2.2.1, 7.2.4, 7.2.5, 7.3.2.2, 7.3.3.1, 7.4.1.1, 7.4.1.2, 7.4.2.1, 7.4.3.1, 7.4.4.1)

NSF/ ANSI 55-2022 (Sections: 4.1, 7.2 and 7.3)

NSF/ ANSI 58-2022 (Sections: 4.1, 6.9, 7.1.1, 7.1.2 and 7.1.3, 7.2.2, 7.2.3, 7.3)

NSF/ ANSI/ CAN 60-2021 (Sections: 4.0, 5.0, 6.0, 7.0, and 8.0 except radionuclides elements)

NSF/ ANSI/ CAN 61-2022 (Sections: 4.0, 5.0, 6.0, 7.0, and 8.0 except radionuclides elements)

NSF/ ANSI 177-2022 (Section 4.1, 7.2)

NSF/ ANSI 244-2022 (Section: 4.1, 7.0)

NSF/ ANSI 372-2022

NSF Protocol P231-2014 (Section 4.1, 4.3)

NSF Protocol P376-2019 (Section 4.1 Material and Section 6 (Except 6.4.1.3))

WQA:

WQA S-200-2012

WQA S-300-2000

IAPMO R & T LAB

5001 E. PHILADELPHIA STREET
ONTARIO, CA 91761
UNITED STATES
Contact: KEN WIJAYA

Phone: 909-472-4135
Fax: 909-472-4177

Lab#: 000055
Expires: 12/31/2023
Number of Employees: 25

Tests to Standards:

AASHTO:

AASHTO M330-20
AASHTO M252-21

AHAM:

AHAM DW-1-2019 (Section E1 & E2 Only)

ANSI:

ANSI/APSP/ICC 16-2017 (PA 2021)
ANSI/APSP/ICC 1-2004
ANSI/APSP/ICC 4a-2013
ANSI/APSP/ICC 6-2013
ANSI/CAN/ASSE/IAPMO 1055-2020
ANSI/CAN/IAPMO Z1001-2021
ANSI/CAN/IAPMO Z1349-2021
ANSI/ICPA SS-1-2001
ANSI/NSPI-2 1999
ANSI/NSPI-3 1999
ANSI/NSPI-5 2003
ANSI A117.1-2009
ANSI A118.10-14 (R2019)
ANSI ICC A117.1-2017
ANSI LC 4a-2013/ CSA 6.32a-2013
ANSI LC1-2019/CSA 6.26-2019
ANSI Z21.10.3-2017/ CSA 4.3-2017
ANSI Z21.15-2009 (R2014)/ CSA 9.1-2009
ANSI Z97.1-2009 (Tempered Glass Only)
ANSI Z358.1-2014

ASME:

ASME A112.1.3-2000 (2015)
ASME A112.3.4-2013/CSA B45.9-13
ASME A112.3.4-2018/CSA B45.9-18
ASME A112.4.1-2009 (R2014)
ASME A112.4.2-2021/CSA B45.16-21
ASME A112.4.3-2022/ CSA B481.1-2022 (Witness Test Only)
ASME A112.14.4-2022/ CSA B481.5-2022 (Witness Test Only)
ASME A112.4.14-2022/ CSA B125.14-2022
ASME A112.6.1M-1997 (R2012)
ASME A112.6.2-2017
ASME A112.6.3-2022/ CSA B79.3-22 (Except Sections 7)
ASME A112.6.4-2003 (R2012)
ASME A112.6.7-2022/ CSA B79.7-22 (Except No Metallic Material test)
ASME A112.6.8-2022/CSA B79.8-22
ASME A112.14.1-2003 (R2017)
ASME A112.14.3-2018(Witness Test Only)
ASME A112.14.4-2001 (R2012)(Witness Testing Only)
ASME A112.14.6-2010 (R2015) (Witness Testing Only)
ASME A112.18.1-2018/ CSA B125.1-18
ASME A112.18.2-2020/CSA B125.2-2020
ASME A112.18.3-2002 (R2012)
ASME A112.18.6-2017/CSA B125.6-17
ASME A112.18.8-2020
ASME A112.18.9-2011 (Except Fungus Test)
ASME A112.19.1-2018/ CSA B45.2-18
ASME A112.19.2-2018/CSA B45.1-2018
ASME A112.19.3-2022/ CSA B45.4-22
ASME A112.19.5-2022/CSA B45.15-22

ASME A112.19.7-2012/CSA B45.10-12 (R2017)
ASME A112.19.10-2017
ASME A112.19.12-2014
ASME A112.19.14-2013
ASME A112.19.15-2012
ASME A112.19.17-2010 (Witness Test Only)
ASME A112.19.19-2016
ASME A112.21.3M-1985 (R2007)
ASME A112.36.2-2022/ CSA B79.2-22(except no-metallic material test)
ASME B16.18-2012
ASME B16.22-2018
ASME B16.40-2019
ASME B16.51-2021

ASPE:
ASPE/IAPMO/ANSI Z1034-2015

ASSE:
ASSE 1001-2021
ASSE 1002-2020/ASME A112.1002-2020/CSA B125.12-20
ASSE 1003/CSA B356-2023
ASSE 1008-2020
ASSE 1009-1990
ASSE 1010-2021 (Except Sections 3)
ASSE 1011-2023
ASSE 1012-2009 (CSA, CAN/CSA-B64 SERIES-2011)
ASSE 1013-2021
ASSE 1014-2020
ASSE 1015-2011
ASSE 1016-2017/ASME A112.1016-2017/CSA B125.16-17
ASSE 1017-2023
ASSE 1018-2023
ASSE 1019-2011
ASSE 1020-2020
ASSE 1021-2001
ASSE 1022-2021
ASSE 1023-2020
ASSE 1024-2023 (CSA CAN/CSA-B64.3)
ASSE 1032-2004 (R2011)
ASSE-1035-2020
ASSE 1037-2020/ASME A112.1037-2020/CSA B125.37-20
ASSE 1044-2023
ASSE 1047-2011
ASSE 1048-2011
ASSE 1050-2021
ASSE 1051-2021
ASSE 1052-2016
ASSE 1056-2013
ASSE 1057-2012
ASSE 1061-2020
ASSE 1062-2017
ASSE 1063-2008 (Witness Test Only)
ASSE 1066-2023
ASSE 1069-2020
ASSE 1070-2020/ASME A112.1070-2020/CSA B125.70-20
ASSE 1071-2012
ASSE 1072-2020
ASSE 1079-2012
ASSE 1082-2018
ASSE 1084-2018
ASSE 1085-2018
ASSE 1087-2022
ASSE 1098-2021

ASTM:
ASTM A53/ A53M-2022

ASTM A74-17
ASTM A888-18a
ASTM A1056-2020 (except section 4)
ASTM B32-2008(R2014)
ASTM B88-2020 (except section 8.1)
ASTM B280-2013
ASTM B813-2016
ASTM C700-2013
ASTM C1173-2022 (Except Section 5.1 Elastomeric Material and 10.1 Elastomeric)
ASTM C1277-2020
ASTM C1460-2021
ASTM C1461-2008 (R2013)
ASTM C1540-2018
ASTM D1784-2020
ASTM D1785-2015e1
ASTM D2235-2004 (R2016)
ASTM D2241-2020
ASTM D2466-2021
ASTM D2467-2020
ASTM D2513-2020
ASTM D2564-2012
ASTM D2609-2021 (Witness Test Only)
ASTM D2661-2021
ASTM D2665-2021
ASTM D2683-2010
ASTM D2846-2019a
ASTM D3034-2016
ASTM D3138-2004 (R2016)
ASTM D3965-2016
ASTM D4101-2017e1
ASTM D4551-2022 ((except sec. 11.5, 11.6, & 11.9)
ASTM F409-2017
ASTM F438-2017
ASTM F446-19
ASTM F462-1979 (R2007)
ASTM F493-2014
ASTM F628 -2012e3
ASTM F656-2015
ASTM F667-2016(R2021)
ASTM F679-13a (Section 7.4) (Witness Test Only)
ASTM F810-2012
ASTM F876-2023
ASTM F877-2023
ASTM F1216-2021
ASTM F1281-2018
ASTM F1282-2017
ASTM F1412-16
ASTM F1476 -07 (Witness Test Only)
ASTM F1488-2014
ASTM F1673-2010 (R2016)
ASTM F1807-2023
ASTM F1924-2012(Witness Test Only)
ASTM F1948-2020
ASTM F1960-2021
ASTM F1970-2019
ASTM F1973-2013(R2018)
ASTM F1974-2009 (R2015)
ASTM F2158-2008 (R2016)
ASTM F2306/F2306M-2021
ASTM F2509-2006
ASTM F2562-2015 (R2019) (Witness test only)
ASTM F2618-2015
ASTM F2648-2020 (Witness Test Only)
ASTM F3226-2019

CISPI:
CISPI 301-2021
CISPI 310-2017

CSA:

CAN/CSA B64 Series 11 (R2016)
CAN/CSA B356-2010 (R2015)
CAN/CSA B483.1-2007(R2017)
CAN/CSA B1800-2021
CSA B45.5-22/ IAPMO Z124-2022
CSA B45.6-11 (R2016)
CSA B45.8-18/ IAPMO Z403-2018
CSA B45.9-13
CSA B45.10-2012
CSA B45.11-17/ IAPMO Z401-2017
CSA B45.12-13/IAPMO Z402-13
CSA B45.13.19/IAPMO Z1700-2019 (Witness Test Only)
CSA B66-2021
CSA B79-2008 (R2013)
CSA B125.3-2022
CSA B125.5-2022/ IAPMO Z600-2022
CSA B137 Series 2020
CSA B181.1-2021
CSA B181.2-2018
CSA B242-2005 (R2016) (Witness Test Only)
CSA B272-93 (R2000)(except sections 4, 4.2)
CSA B356-2010 (R2015)
CSA B481-2012 (R2017)
CSA B602-2020
CSA Z240.3.2-2014
CSA/ ANSI LC 4-2022/ CSA 6.32-2022 (Except section 4.3 and 5.12)
CSA TIL MSE 13- 1989 (R03)
CSA TIL MSE 43-2004

EPA:

EPA WaterSense High Efficiency Flushing Urinal Specification, Version 1.0 Dated 2009-08-14
EPA WaterSense High-Efficiency Lavatory Faucet Specification, Version 1.2 Dated 2007-10-01
EPA WaterSense Specification for Commercial Pre-Rinse Spray Valves, Version 1.0 Dated 2013-09-19
EPA WaterSense Specification for Flushometer Valve Water Closets Version 1.0
EPA WaterSense Specification for Showerheads, Version 1.1 Dated 2018-07-26
EPA WaterSense Specification for Tank-Type Toilets, Version 1.2 Dated 2014-06-02

IAPMO:

IAPMO/ANSI Z1000-2019 (witness testing only)
IAPMO/ANSI Z1002-2020 (Witness Test Only)
IAPMO/ANSI Z1003-2015(R2020) (Except 4.2 Material)
IAPMO/ ANSI Z1088-2019e
IAPMO/ANSI/CAN Z1117-2022 (except section 4.2)
IAPMO/ANSI/CAN Z1167-2023
IAPMO IGC 67-2014e1
IAPMO IGC 91-2009
IAPMO IGC 100-1998 (R2013)
IAPMO IGC 109-2019
IAPMO IGC 115-2013e1
IAPMO IGC 119-2019
IAPMO IGC 122-2019
IAPMO IGC 127-2022
IAPMO IGC 128-2019
IAPMO IGC 132-2019
IAPMO IGC 154-2019
IAPMO IGC 156-2021
IAPMO IGC 161-2014
IAPMO IGC 162-2019
IAPMO IGC 163-2019
IAPMO IGC 167-2011ae2
IAPMO IGC 171-2007 (R2013)
IAPMO IGC 178-2019
IAPMO IGC 180-2013e1 (witness test only)
IAPMO IGC 183-2016 (witness testing only)
IAPMO IGC 189-2008 (R2014)

IAPMO IGC 193-2020
IAPMO IGC 195-2013a
IAPMO IGC 198-2004
IAPMO IGC 199-2004
IAPMO IGC 200-2017e2
IAPMO IGC 201-2004 (R2014)
IAPMO IGC 202-2014 (Except Section 5.3)
IAPMO IGC 207-2009a
IAPMO IGC 209-2008 (R2014)
IAPMO IGC 214-2009
IAPMO IGC 218-2005
IAPMO IGC 219-2019 (Witness Test Only)
IAPMO IGC 222-2005 (except Sec. 4.6)
IAPMO IGC 224-2009
IAPMO IGC 225-2006
IAPMO IGC 226 -2019(except Section 4.9)
IAPMO IGC 227-2006
IAPMO IGC 230-2006
IAPMO IGC 233-2009 (except Section 4.5)
IAPMO IGC 236-2021
IAPMO IGC 237-2019
IAPMO IGC 242-2007
IAPMO IGC 244-2021
IAPMO IGC 245-2007a
IAPMO IGC 248-2014
IAPMO IGC 251-2008
IAPMO IGC 252-2018
IAPMO IGC 253-2008a
IAPMO IGC 258-2008
IAPMO IGC 260-2020
IAPMO IGC 267-2015e1
IAPMO IGC 269-2019
IAPMO IGC 271-2009
IAPMO IGC 272-2019
IAPMO IGC 274-2010a
IAPMO IGC 281-2015a
IAPMO IGC 285-2012
IAPMO IGC 289-2012b
IAPMO IGC 291-2013(R2020)
IAPMO IGC 294-2012e1
IAPMO IGC 298-2013e1
IAPMO IGC 300-2013(except 5.7)
IAPMO IGC 301-2018 (except 4.1.2a)
IAPMO IGC 302-2017
IAPMO IGC 312-2018
IAPMO IGC 314-15e1
IAPMO IGC 316-2015 (Witness Test Only)
IAPMO IGC 324-2016e1
IAPMO IGC 325-2023 (Witness Test Only)
IAPMO IGC 329-2016 (witness test only)
IAPMO IGC 335-2018
IAPMO IGC 339-2016 (except section 4.3.1)
IAPMO IGC 342-2023
IAPMO IGC 345-2020a
IAPMO IGC 348-2017
IAPMO IGC 349-2018
IAPMO IGC 351-2018a
IAPMO IGC 352-2020e1
IAPMO IGC 353-2019
IAPMO IGC 359-2019 (Witness Test Only)
IAPMO IGC 361-2019 (except 4.4)
IAPMO IGC 365-2022
IAPMO IGC 370-2021a
IAPMO IGC 372-2021
IAPMO IGC 78-2019
IAPMO PS 23-2021a
IAPMO PS 25-2019
IAPMO PS 34-2019

IAPMO PS 36-2014e1
IAPMO PS 42-2022
IAPMO PS 51-2021
IAPMO PS 52-2021
IAPMO PS 53-2021 (except 4.2, 4.4 and 4.5)
IAPMO PS 54-2021 (except section 7.2)
IAPMO PS 55-2013 (except section 4.3,4.4,4.5)
IAPMO PS 57-2002
IAPMO PS 59-2016ae2
IAPMO PS 63-2019 (witness testing only)
IAPMO PS 64-2012ae1
IAPMO PS 65-2019a
IAPMO PS 67-2010
IAPMO PS 69-2019 (except material, section 5.1, 5.2)
IAPMO PS 72-2019
IAPMO PS 73-2015
IAPMO PS 76-2021
IAPMO PS 79-2005
IAPMO PS 80-2019 (Witness Test Only)
IAPMO PS 81-2019
IAPMO PS 86-2019
IAPMO PS 87-1995
IAPMO PS 90-2014 (except section 4.1.2)
IAPMO PS 91-2019 (except section 4.2.1)
IAPMO PS 92-2013
IAPMO PS 94-2012
IAPMO PS 95-2018e3
IAPMO PS 97-2014e1
IAPMO PS 98-96
IAPMO PS 101-97
IAPMO PS 104-2019
IAPMO PS 106-2015e1
IAPMO PS 108-2020
IAPMO PS 110-2006a (except 4.1 & 5.3)
IAPMO PS 111-2019 (except section 4.1, 4.4 & 5.3)
IAPMO PS 112-1999 (except section 3.1)
IAPMO PS 115-2019 (except 5.6)
IAPMO PS 116-1999 (except 4.4)
IAPMO PS 117-2021 (except 4.3)
IAPMO PS 119-2012
IAPMO PS 119-2012ae1
IAPMO PS 120-2019
IAPMO SPS-3-2019
IAPMO SPS-4-2009
IAPMO TS 1-2011e1
IAPMO TS 2-2021
IAPMO TS 4-2015
IAPMO TS 8-2009
IAPMO TS 9-2003 (except section 11.5 & 11.6)
IAPMO TS 11-2011ae1 (except 4.5.1)
IAPMO TS 12-1997e1
IAPMO TS 13-2014
IAPMO TS 14-2006
IAPMO TS 15-2006
IAPMO TS 19-2010
IAPMO TS 20-2009
IAPMO TS 21-2006
IAPMO TS 22-1997e1
IAPMO TS 23-1997e1
IAPMO TS 24-2009
IAPMO TS 25-2019
IAPMO TS 26-1997 (except section 3.2.3)
IAPMO TS 27-1997e1
IAPMO TS 28-2006
IAPMO TS 30-1997e1
IAPMO TS 33-2006
IAPMO TS 34-1997e1
IAPMO TS 36-2022

IAPMO Z124.5-2013e1
IAPMO Z124.7-2013
IAPMO Z124.8-2013e2
IAPMO Z600-2022
IAPMO Z601-2018
IAPMO Z1033-2015 (R2020)
IAPMO Z1700-2014 (Witness Test Only)

MSS:
MSS SP-67-2011
MSS SP-67-2017
MSS SP-71-2005
MSS SP-72-1999
MSS SP-70-1998
MSS SP-80-2013

NMX:
NMX-C-415-ONNCCE-2015

NSF:
NSF/ANSI 2-2022
NSF/ANSI 4-2020
NSF/ANSI 6-2018
NSF/ANSI 8-2023
NSF/ANSI 12-2018
NSF/ANSI 14-2021 (except no-metallic material test)
NSF/ANSI 18-2020
ANSI/NSF 24-2020 (Section 4,5,6)
NSF/ANSI 42-2022
NSF/ANSI 44-2022
NSF/ANSI 53-2022
NSF/ANSI 55-2022 (all sections except microbiological performance)
NSF/ANSI 58-2022
NSF/ANSI 60-2021
NSF/ANSI/CAN 61-2022
NSF/ANSI 62-2016 (all sections except microbiological performance)
NSF/ANSI 244-2019
NSF/ANSI/CAN 50-2021
NSF/ANSI/CAN 372-2022
NSF 6-2018
NSF 7-2016
NSF 8-2018
NSF 12-2018
NSF 46-2017 (except section 12 and 13)
NSF 50-2020
NSF 177-2022 Witness
NSF 177-2022
NSF P231-2014 (all sections except microbiological performance)

SAE:
SAE J1670-2008

SRCC:
SRCC 150-2010 (Witness Test Only)

ULI:
UL 174-2004-2016
UL 969-2017
UL 778-2010

WQA:
WQA S 100-2000
WQA S 300-2000
WQA S 200-2012
WQA S 400-2000

MISCELLANEOUS:
ASABE/ICC 802-2014

Drinking Water Treatment Unit testing
Federal Lead Plumbing Law (U.S. Senate Bill No. S.3874)
LADWP SPS-2005
Louisiana Lead Reduction Law (Louisiana House Bill HB.471)
Maryland Lead Reduction Law (Maryland House Bill HB.372)
METAL ANALYSIS
Section 1417(d) of the Safe Drinking Water Act
The lead content requirements of Section 116875 of the California Health & Safety Code
UNAR 2006
Vermont Lead Reduction Law (Vermont Act 193)
VITREOUS/NON VITREOUS CHINA FIXTURES
IAPMO/ANSI WE STAND 2020
Cal Green 2019
LEED v4.1
ICC 700-2020
NRC-2000 Standard 2012
ANSI/GBI 01-2019

IAPMO RTL LAB NEW JERSEY
1041 GLASSBORO ROAD, UNIT D-1
WILLIAMSTOWN, NJ 08094
UNITED STATES
Contact: JAIME YOUNG

Phone: (856) 478-0010
Fax:

Lab#: 0000102
Expires: 12/31/2023
Number of Employees: 7

Tests to Standards:

NSF:
NSF/ANSI 42-2022 (Section 6, 7.3)
NSF/ANSI 53-2022 (Sections 6,7.2, 7.3, 7.4)
NSF/ANSI 58-2022 (Sections 6.4.1, 6.9, 7.1, 7.2, 7.3.2.3, 7.3.2.4)
NSF/ANSI 401-2017a (Section 6)
NSF/ANSI P473-2016 (Section 6)

INTERTEK (GUANGZHOU)

ROOM 4103 & 4203 / NO. 63 PUNAN ROAD / HUANGPU DISTRICT
GUANGZHOU, GUANGDONG,
CHINA
Contact: LUFFY ZHANG

Phone: 86-20-8213-9504
Fax: 86-20-3205-7538

Lab#: 0000081
Expires: 12/31/2023
Number of Employees: 400

Tests to Standards:

ANSI:

ANSI Z97.1-2009

ASME:

ASME A112.4.2-2021/ CSA B45.16-21
ASME A112.6.2-2000(R2010)
ASME A112.6.2-2017
ASME A112.6.3/CSA B79.3-2022
ASME A112.18.1-2018/ CSA B125.1-18 (Except 4.7.4)
ASME A112.18.2-2020/ CSA B125.2-20
ASME A112.18.3-2002(R2022) (Except clause 15)
ASME A112.18.6-2017/ CSA B125.6-17 (R2021)
ASME A112.19.1-2018/ CSA B45.2-18 (except 4.7.4)
ASME A112.19.2-2018/ CSA B45.1-18
ASME A112.19.3-2022/ CSA B45.4-22
ASME A112.19.5-2011/ CSA B45.15-11
ASME A112.19.5-2022/ CSA B45.15-22
ASME A112.19.7-2012/ CSA B45.10-12 (except section 5.3)
ASME A112.19.10-2003(R2008)
ASME A112.19.14-2013
ASME A112.19.15-2012
ASME A112.19.19-2016
ASME A112.21.3M-1985 (R2007)
ASME B16.22-2013
ASME B16.51-2013

ASSE:

ASSE 1001-2021
ASSE 1002-2020/ ASME A112.1002-2020/CSA B125.12-2020
ASSE 1008-2006
ASSE 1011-2023
ASSE 1014-2020
ASSE 1016-2017/ ASME A112.1016-2017/ CSA B125.16-17
ASSE 1017-2023
ASSE 1019-2011
ASSE 1023-1979
ASSE 1024-2004
ASSE 1037-2020/ ASME A112.1037-2020/CSA B125.37-2020
ASSE 1061-2020
ASSE 1069-2005
ASSE 1070 / ASME A112.1070/ CSA B125.70-15

ASTM:

ASTM A74-2017
ASTM A888-2015
ASTM B75-2002 (R2010) (Except sections 6, 15.2)
ASTM B88-2009 (Except sections 6, 10.1)
ASTM B280-2013 (Except sections 6, 11.0)
ASTM B306-2013(Except sections 6, 9.2)
ASTM B687-1999e1 (R2005)
ASTM B837-2010 (Except sections 6, 10.1)
ASTM C564-2020
ASTM C1277-2020
ASTM C1460-2020
ASTM C1540-2020
ASTM D1784-2020
ASTM D1785-2015e1
ASTM D2241-2020 (Except Impact Resistance)
ASTM D2466-2021
ASTM D2661-2021 (Except Impact Resistance)

ASTM D2665-2020
ASTM D2846-2014
ASTM D3035-2014a
ASTM D3350-2008
ASTM D3965-2005
ASTM D4101-2014
ASTM F409-2022
ASTM F877-2023
ASTM F876-2020
ASTM F1281-2011
ASTM F1282-2010
ASTM F1807-2015
ASTM F1960-2015
ASTM F1974-2009
ASTM F2159-2014
ASTM F2389-2010

CISPI:
CISPI 301-18

CSA:
CSA B45.3-2002 (R2008)
CSA B45.5-2022/ IAPMO Z124-2022
CSA B45.8-2018/IAPMO Z403-2018
CSA B45.11-2011/ IAPMO Z401-2011
CSA B64 Series-2011
CSA B70-2012
CSA B79-2008
CSA B125.3-2022
CSA B125.5-11/ IAPMO Z600-11
CSA B137 Series-2020
CSA B602-2020
CSA B651-2012 (Sections 6 & 7)

EPA:
EPA WaterSense High Efficiency Flushing Urinal Specification, Version 1.0 Dated 2009-08-14
EPA WaterSense Specification for Flushometer Valve Water Closets Version 1.0 Dated 2015-12-17
EPA WaterSense Specification for Showerheads, Version 1.1 Dated 2018-07-26
EPA WaterSense Specification for Tank-Type Toilets, Version 1.2 Dated 2014-06-02
EPA WaterSense High-Efficiency Lavatory Faucet Specification, Version 1.0 Dated 2007-10-01

IAPMO:
IAPMO/ANSI Z124.5-2013e1
IAPMO/ANSI Z124.7- 2013
IAPMO/ANSI Z124.8-2013e2
IAPMO/ANSI Z1033-2013
IAPMO/ANSI Z1088-2019e1
IAPMO IGC 109-2015
IAPMO IGC 154-2019
IAPMO IGC 167-2011ae1
IAPMO IGC 181-2019
IAPMO IGC 186-2004 (R2014)
IAPMO IGC 224-2009
IAPMO IGC 226-2006a
IAPMO IGC 258-2008
IAPMO IGC 267-2015e1
IAPMO IGC 312-2014
IAPMO IGC 319-2016
IAPMO PS 50-2019
IAPMO PS 72-2007e1
IAPMO PS 117-2012ae1
IAPMO Z1157-2014e1

ICC:
ICC A117.1-2017

MSS:
MSS-SP-80-2013

MSS SP-145-2013

NSF:

NSF 14-2015

NSF/ANSI/CAN 61-2022 section 4,8 and 9 (except Nitrosamines)

NSF/ANSI/CAN 372-2022

SAE:

SAE J1670-2008

MISC:

16 CFR PART 1201

CAN/CGSB 12.1 (M90)

LADWP SPS-2005

Section 1417(d) of the Safe Drinking Water Act

The lead content requirements of Section 116875 of the California Health & Safety Code

NATIONAL CENTRE FOR INSPECTION & TESTING OF DRAINAGE IRRIGATION & WATER SAV

NO. 33 TIANDU ROAD, / HEFEI ECONOMIC & TECHNICAL / DEVELOPMENT ZONE,
HEFEI, ANHUI, -- 230601
CHINA
Contact: YANG ZHEN

Phone: +86-551-713-2010
Fax: +86-551-713-2020

Lab#: 0000088
Expires: 12/31/2023
Number of Employees: 20

Tests to Standards:

ANSI:

ANSI Z124.1.2 (Except Sections 5.3, 6.1, 6.3)
ANSI/ AHAM DW-1-2019 (Appendix E Only)

ASME:

ASME A112.18.3-2002(R2022)
ASME A112.6.3-2022/CSA B79.3-22
ASME A112.18.1-2018/ CSA B125.1-18 (Except Section: 4.9.1 (NSF 61), 5.4.3 and 5.13)
ASME A112.18.2-2020/CSA B125.2-20
ASME A112.18.6-2017/ CSA B125.6-17
ASME A112.19.2-2018/ CSA B45.1-18
ASME A112.19.3-2022/CSA B45.4-22
ASME A112.19.5-2022/ CSA B125.15-22
ASME A112.19.14-2013
ASME A112.19.15-2012
ASME A112.4.2-2021/ CSA B45.16-2021
ASME A112.4.14-2022/ CSA B125.14-22
ASME B16.22-2018
ASME B16.51-2021

ASSE:

ASSE 1001-2021
ASSE 1002-2020/ASME A112.1002-2020/ CSA B125.12-20
ASSE 1003-23/CSA B356:23
ASSE 1010-2021 (except clauses 3.1 & 3.2)
ASSE 1011-2023
ASSE 1014-2020
ASSE 1016-2017/ASME A112.1016-2017/CSA B125.16-17
ASSE 1018-2023
ASSE 1019-2011
ASSE 1023-2020
ASSE 1024-2017
ASSE 1037-2020/ASME A112.1037-2020/ CSA B125.37-2020
ASSE 1061-2020
ASSE 1069-2020
ASSE 1070-2020/ASME A112.1070-2020/CSA B125.70-2020
ASSE 1072-2020
ASSE 1079-2012 (R2021)

ASTM:

ASTM A888-2021a
ASTM C1277-2020
ASTM D1784-2020
ASTM D1785-21a
ASTM D2466-2023
ASTM D2467-2020
ASTM D2661-2021
ASTM D2665-2020
ASTM D2846-2019a
ASTM D3965-2016
ASTM F1807-2023
ASTM F1960-2023a
ASTM F2159-2023a
ASTM F439-2019
ASTM F876-2023
ASTM F877-2023

CSA:

CAN/CSA B64.1.1-11
CSA B45-2008
CSA B45.0-2008 (for ceramic plumbing fixtures)
CSA B45.1-2008
CSA B45.5-2022/IAPMO Z124-22
CSA B45.8-2023/ IAPMO Z403-2023
CSA B45.11-2017/ IAPMO Z401-2017
CSA B64 Series – 2011 (R2016)
CSA B79-2008 (R2013)
CSA B125.3-2022
CSA B125.5-2022/IAPMO Z600-22
CSA B137 Series- 2020 (B137.1, B137.3, B137.4, B137.5, B137.6 and CSA B137.11 only)
CSA B356-2010
CSA B1800-2021 (B181.1 and B181.2 only)

EPA:

EPA WaterSense High Efficiency Flushing Urinal Specification, Version 1.0 Dated 2009-08-14
EPA WaterSense Specification for Flushometer- Valve Water Closets Version 1.0 Dated 2015-12-17
EPA WaterSense High-Efficiency Lavatory Faucet Specification, Version 1.2 Dated 2007-10-01
EPA WaterSense Specification for Showerheads, Version 1.1 Dated 2018-07-26
EPA WaterSense Specification for Tank-Type Toilets, Version 1.2 (June 2, 2014)

IAPMO:

IAPMO IGC 109-2019
IAPMO IGC 128-2019
IAPMO IGC 154-2019
IAPMO IGC 167-2011ae2
IAPMO IGC 168-2012 (except ASSE 1010)
IAPMO IGC 312-2018a
IAPMO IGC 314-2015e1
IAPMO IGC 319-2016 (Except Section 4.3)
IAPMO PS 50-2019
IAPMO PS 54-2021a
IAPMO TS25-2019
IAPMO/ ANSI Z1088-2013
IAPMO/ANSI Z1157-2014e1
IAPMO/ANSI/CAN Z1117-2022

ICC:

ICC/ANSI A117.1-2017

MSS:

MSS SP-80
MSS SP-110-2010

NSF:

NSF 14-2022
NSF/ANSI/CAN 372-2022

MISC:

AB 1953/ Section 1417(d) of the Safe Drinking Water Act
AS 1172.1-2005
AS 1172.2-1999
AS 1756-1999
AS 1976-1992
AS 3494-1997
AS/NZS 1730:1996
AS/NZS 3499:2006
AS/NZS 3662:2005
AS/NZS 3718:2005 (Except Section 4.7)
AS/NZS 3982:1996
AS/NZS 6400-2005
ATS 5200.016-2005

ATS 5200.017-2005
Cal Green 2019 (for Faucet, Showerhead, Water Closet and Urinal)
LEED v4.1 (for Faucet, Showerhead, Water Closet and Urinal)
LADWP-2005
MaP Performance Test
SAE J1670-2008

NSF INTERNATIONAL

789 DIXBORO ROAD
ANN ARBOR, MI 48105
UNITED STATES
Contact: LYNN TUREK-REYNOLDS

Phone: 734 769-8010
Fax: 734-827-7182

Lab#: 000057
Expires: 12/31/2023
Number of Employees: 260

Tests to Standards:

ANSI:

ANSI Z124.4-2006
ANSI Z124.6-2007
ANSI Z124.8-2013e2 (R2018)
ANSI Z358.1-2014

ASME:

ASME A112.1.2-2012(R2017)
ASME A112.3.1-1993
ASME A112.6.3-2001
ASME A112.14.2-2009
ASME A112.14.3-2018
ASME A112.14.4-2001
ASME A112.18.1-2018/ CSA B125.1-18
ASME A112.18.2-2020/ CSA B125.2-20
ASME A112.18.6-2017/ CSA B125.6-17
ASME A112.19.1 -2018/CSA B45.2-18
ASME A112.19.10-2003(R2008)
ASME A112.19.2-2018/CSA B45.1-18
ASME A112.19.3-2022/CSA B45.4:22
ASME A112.19.5-2017/ CSA B45.15-17
ASME A112.19.7-2012/CSA 45.10-12 (R2017)
ASME A112.6.3-2019
ASME A112.21.3M-1985(R2001)
ASME A112.36.2-1991(R2008)
ASME B16.22-2001

ASSE:

ASSE 1001-2021
ASSE 1002-2020/ ASME A112.1002-2020/ CSA B125.12-20
ASSE 1003-2020(up to 1' only)
ASSE 1010-2004
ASSE 1011-2017(CSA CAN/CSA-B64.2.1-94, B64.2.2-94, B64.1.2-94)
ASSE 1012-2009
ASSE 1013-2021
ASSE 1014-2020
ASSE 1015-2011
ASSE 1016-2017/ASME A112.1016-2017/CSA B125.16-17
ASSE 1019-2011
ASSE 1020-2020 (CSA B64.1.2-11)
ASSE 1022-2017
ASSE 1024/CSA B64.6-2017
ASSE 1032-2004
ASSE 1035-2020
ASSE 1037-2020/ ASME A112.1037-2020/ CSA B125.37-2020
ASSE 1047-2011
ASSE 1048-2011
ASSE 1050-2021
ASSE 1051-2002
ASSE 1052-2016
ASSE 1056-2013
ASSE 1060-2006

ASTM:

ASTM B280-2008
ASTM B306-2002
ASTM B687-1999e1 (R2015)
ASTM C564-2020
ASTM C1173-2022
ASTM C1277-2022

ASTM C1460-2021
ASTM D4551-1996(R2008)e1
ASTM F1807-2008
ASTM F2080-2008

CSA:
CSA B45.1-2002(R2008)
CSA B45.2-2002(R2008)
CSA B45.3-2002(R2008)
CSA B45.4-2002(R2008)
CSA B45.5:22/IAPMO Z124-2022
CSA B45.5-2002 (R2008)
CSA B45.6-2002 (R2008)
CSA B45.7-2002 (R2008)
CSA B64 Series – 2011 (R2016)
CSA B66-2005
CSA B356-2000 (up to 1' only)
CSA B481-2007
CSA B602-2010 (Except section 5.14 and 5.17)
CSA,CAN/CSA-B70-M91

IAPMO:
IAPMO IGC 168-2001
IAPMO IGC 195-2009
IAPMO IGC 273-2009
IAPMO PS 1-2007
IAPMO SPS 3-2019
IAPMO PS 33-2009c flexible spa hose
IAPMO PS 63-2005
IAPMO PS 65-2002
IAPMO PS 87-1995
IAPMO PS 99-2007
IAPMO PS 101-1997
IAPMO PS 117-2008
IAPMO SPS-4 -2009 suction fittings
IAPMO TS 1-2005
IAPMO TS 2-2015
IAPMO Z1000-2007
IAPMO Z124-2017
IAPMO/ANSI Z1033-2013
IAPMO/ANSI Z124.5-2006
IAPMO/ANSI Z124.7-2013(R2018)

NSF:
NSF 61-2022
NSF/ANSI 14-2007
NSF/ANSI 24- 1988(R2006)
NSF/ANSI 372-2011
NSF/ANSI 53-2014
NSF/ANSI 60-2009

PDI:
PDI-G101-1998

MISC:
AS 2345-2006
AS 4775-2007
LADWP SPS Ultra Low Flush Supplement to ASME A112.19.2-2018
DE Filters, Sand Filters, Multi-port Valves, Cartridge Filters, Centrifugal pumps, Multiport valves, Recessed automatic surface skimmers, Adjustable output chemical feeders, Flow through chemical feeders, Process equipment-includes: Ozone generators, UV-Hydrogen Peroxide disinfection systems, In-line electrolytic chlorine/bromine generation, Brine-type electrolytic chlorine/bromine generation, and Copper/silver in generation disinfection systems.

PT IAPMO GROUP INDONESIA

JL. KAPUK TIMUR F23 NO. 11 AA / LIPPO CIKARANG, / DELTA SILICON III, BEKSAI
CIKARANG, 17750
INDONESIA
Contact: SATRIA MANGUNKUSUMO

Phone: +62 21 89911467
Fax: +62 21 89911468

Lab#: 0000101
Expires: 12/31/2023
Number of Employees: 5

Tests to Standards:

ASME:

ASME A112.18.1 -2018(CSA B125.1-18) except toxicity
ASME A112.18.2-2015/ CSA B125.2-15
ASME A112.18.6-2017/CSA B125.6-17
ASME A112.19.1-2013/CSA B45.2-13
ASME A112.19.2-2018/CSA B45.1-18
ASME A112.19.3-2017/ CSA B45.4-17
ASME A112.19.5-2017/CSA B45.15-17
ASME A112.19.14-2013

ASSE:

ASSE 1002-2020/ASME A112.1002-2020/CSA B125.12.2020
ASSE 1037-2015/ ASME A112.1037-2015/ CSA B125.37-15

ASTM:

ASTM A74-2013(CSA CAN/CSA-B70-2012)
ASTM A888-2018a(CSA B70-2012)
ASTM F1970-2019

CISPI:

CISPI 301-2009

CSA:

CSA B45.5-2022 /IAPMO Z124-2022 (except 5.10 colorfast and 5.12 wear & cleanability)
CSA B45.8-2018/IAPMO Z403-18 (except section 4.4.4)
CSA B45.11-17/ IAPMO Z401-2017
CSA B45.12-13/IAPMO Z402-2013

EPA:

EPA WaterSense High Efficiency Flushing Urinal Specification, Version 1.0, Dated 2009-08-14
EPA WaterSense High-Efficiency Lavatory Faucet Specification, Version 1.0
EPA WaterSense Specification for Showerheads, Version 1.1 Dated 2018-07-26
EPA WaterSense Specification for Tank-Type Toilets, Version 1.2

IAPMO:

IAPMO PS 50-2019

NSF:

NSF 372-2016

MISC:

SAE J1670-2008
Section 1417(d) of the Safe Drinking Water Act
Vermont Lead Reduction Law (Vermont Act 193)

QAI LABORATORIES INC.

5110 N. MINGO RD
TULSA, OK 74117
UNITED STATES
Contact: JARRED JOHNSON

Phone: 918 437-8333
Fax: 918 437-8487

Lab#: 0000033
Expires: 12/31/2023
Number of Employees: 11

Tests to Standards:

ANSI:

ANSI/ICC A117.1-2017
ANSI A108, A118, & A136-2017
ANSI A118.12

ASME:

ASME A112.1.2-2012
ASME A112.1.3-2000(R2010)
ASME A112.3.1-2007 (except section 3.2)
ASME A112.3.4-2000
ASME A112.4.7-2002 (R2008) (except toxicity)
ASME A112.6.1M-1997 (R2008)
ASME A112.6.3-2022/CSA B79.3-2022
ASME A112.6.4-2003 (R2008)
ASME A112.6.7-2022/CSA B79.3-2022
ASME A112.14.1-2003 (R08)
ASME A112.14.3-2018
ASME A112.18.1-2018/ CSA B125.1-2018 (Except Toxicity) (Sect 4.1.2, 4.14, 5.2.2, 5.13)
ASME A112.18.2-2020/CSA B125.2-20
ASME A112.18.6-2017/CSA B125.6-17(except toxicity)
ASME A112.19.1-2018/ CSA B45.2-18
ASME A112.19.14-2013
ASME A112.19.19-2016
ASME A112.19.2-2018/ CSA B45.1-18
ASME A112.19.3-2017/CSA B45.4-17
ASME A112.19.5-2017
ASME A112.19.10-2003 (R08)
ASME A112.19.7-2012 (CAN/CSA-B45 SERIES-2002(R2008))
ASME A112.21.1M-1991
ASME A112.21.2M-1983
ASME A112.21.3M -1985 (R2007)
ASME A112.36.2-1991 (R2002)

ASSE:

ASSE 1001-2017 (CSA CAN/CSA-B64 SERIES-2011;B64 SERIES-2011)
ASSE 1002-2020/ASME A112.1002-2020/CSA B125.12-20
ASSE 1003-2020
ASSE 1010-2004 (except material)
ASSE 1011-2017(CSA, CAN/CSA-B64 SERIES-2011)
ASSE 1012-2021
ASSE 1013-2011
ASSE 1014-20020 (except material)
ASSE 1015-2011
ASSE 1016-2017/ ASME A112.1016-2017/ CSA B125.16-17
ASSE 1017-2009 (except material toxicity)
ASSE 1018-2001(R2021) (except material)
ASSE 1019-2011
ASSE 1020-2004(CAN/CSA B64.1.2)
ASSE 1021-2001
ASSE 1023-1920
ASSE 1024-2017 (except material)
ASSE 1030-2016
ASSE 1032-2004
ASSE 1035-2020(CSA CAN/CSA-B64 SERIES-2011)
ASSE 1037-2015/ ASME A112.1037-2015/ CSA B125.37-15 (except toxicity)
ASSE 1044-2023
ASSE 1047-2011
ASSE 1048-2011
ASSE 1050-2009
ASSE 1051-2009

ASSE 1052-2004 (CSA, CAN/CSA-B64 SERIES-2013, B64 SERIES-2011)
ASSE 1055-2009
ASSE 1056-2001 (Except Material Toxicity)
ASSE 1057-2001 (except material)
ASSE 1061-11
ASSE 1062-2006 (except material)
ASSE 1066-1997 (except material)
ASSE 1071-2012
ASSE 1072-2007

ASTM:

ASTM C1173-2018 (Section 10.3.1 and 12)
ASTM C1277-2020
ASTM D1598-2002
ASTM D1599-1999
ASTM D2513-2012e1 (Sustained Pressure Test)
ASTM D2661-2011 (except materials)(CSA, CAN/CSA-B181.1-M90)
ASTM D2662-1993
ASTM D2665-2014 (CSA, CAN/CSA-B181.2.-M90)
ASTM D2666-1993
ASTM D2737-2003 (Except Basic Material-Cell Class)
ASTM D2846-2009be1 (except cell classification)
ASTM D4551-2012(Except Shear Resistance)
ASTM E84-2011a
ASTM F462-1979(R2007)
ASTM F409-2012 (Except Cell Classification)
ASTM F1924-2012
ASTM F1973-2013e1

CSA:

CSA B45.5-2022/IAPMO Z124-22
CSA B45.8-2018/IAPMO Z403-18.
CSA B64.2-11(R2016)
CSA B70-2012
CSA B79-2008
CSA B481-12(R2017)
CSA 602-16

EPA:

EPA WaterSense High Efficiency Flushing Urinal Specification, Version 1.0 Dated 2009-08-14
EPA WaterSense High-Efficiency Lavatory Faucet Specification, Version 1.2 Dated 2007-10-01
EPA WaterSense Specification for Showerheads, Version 1.2 Dated 2010-03-04
EPA WaterSense Specification for Tank-Type Toilets, Version 1.1 Dated 2011-05-20
EPA WaterSense Specification for Weather- Based Irrigation Controllers, Version 1.0 Dated 2011-11-03

IAPMO:

IAPMO IGC 67-2009a
IAPMO IGC 122-2005ae1(R2013)
IAPMO IGC 127-2018 (Except 4.3)
IAPMO IGC 150-2009
IAPMO IGC 161-2007
IAPMO IGC 167-2011ae1
IAPMO IGC 168-2012 (except toxicity)
IAPMO IGC 171-2007 (except section 7.3)
IAPMO IGC 178-2002 (R2014)
IAPMO IGC 183-2016
IAPMO IGC 194-2004a
IAPMO IGC 198-2004
IAPMO IGC 263-2013e1
IAPMO IGC 267-2011
IAPMO IGC 275-2010
IAPMO IGC 331-2016
IAPMO PS 106-2015e1
IAPMO PS 34-2003 (Except Cell Classification)
IAPMO PS 46-2013
IAPMO PS 52-2009
IAPMO PS 54-2015
IAPMO PS 55-1992 (except materials)

IAPMO PS 59-2012 (Less Cell Class)
IAPMO PS 65-2019 (Except 4.2 NSF 61)
IAPMO PS 67-2010
IAPMO PS 69-2006 (except materials)
IAPMO PS 72-2007e1 (except toxicity)
IAPMO PS 76-2021
IAPMO PS 79-2005 (except toxicity)
IAPMO PS 90-2014
IAPMO PS 91-2005a
IAPMO PS 94-2012
IAPMO PS 95-2001
IAPMO PS 98-1996
IAPMO PS 99-2007
IAPMO TS 1-2011e1
IAPMO TS 2-2005
IAPMO TS 4-2006
IAPMO TS 11-2011a
IAPMO TS 20-2009
IAPMO TS 22-1997e1 (except 4.3.3)
IAPMO TS 30-1997e1
IAPMO Z124-2022/ CSA B45.5-22
IAPMO Z1000-2019
IAPMO Z1001-2016
IAPMO Z1157-2014e1
IAPMO Z124.5-2013e1 (R2018)
IAPMO Z124.7-2013 (R2018)
IAPMO/ANSI Z124.8-2013

MISC:

Flammability (ASTM E 162-1983, ASTM E 662)
LADWP SPS Specification
UNAR 2006

SGS-CSTC STANDARDS TECHNICAL SERVICES

SERVICES CO, LTD NINGBO BRANCH / 2F NO. 7 BUILDING, LINGYUN IND / PARK NO. 1177 LINGYUNG RD
NINGBO, ZHEJIANG, CHINA
Contact: DONNA GU

Phone: +86-0216645010
Fax: 086-021-54500353

Lab#: 0000084
Expires: 1/31/2024
Number of Employees: 43

Tests to Standards:

ANSI:
ANSI/ICC A117.1-2017

ASME:
ASME A112.18.1-2018/CSA B125.1-2018
ASME A112.18.2-2020 (except section 5.12)
ASME A112.18.3-2002 (R20008) Except Section 15
ASME A112.18.6-2017/ CSA B125.6-17
ASME A112.19.1-2018/CSA B45.2-18
ASME A112.19.2-2018/CSA B45-18
ASME A112.19.3-2022/CSA B45.4-22 including Errata No. 2 dated August 2017
ASME A112.19.5-2017/CSA B45.15-17
ASME A112.19.14-2013

ASSE:
ASSE 1002-2020/ ASME A112.1002-2020/ CSAB125.12-20 (Except Section 4.6)

ASTM:
ASTM A888-2021
ASTM F409-2017

CSA:
CSA B45.5-2022/ IAPMO Z124-2022
CSA B125.3-2018

EPA:
EPA WaterSense High-Efficiency Lavatory Faucet Specification, Version 1.2 Dated 2007-10-01
EPA WaterSense Specification for Showerheads, Version 1.1 Dated 2018-07-26
EPA WaterSense Specification for Tank-Type Toilets, Version 1.2 Dated 2014-06-02

IAPMO:
IAPMO/ANSI Z124.5-2013e1
IAPMO IGC 154-2019
IAPMO IGC 186-2004A
IAPMO IGC 224-2018
IAPMO PS 50-2019
IAPMO Z401-2017
IAPMO Z1157-2014e1

NSF:
NSF/ANSI/CAN 61-2022 (Section 8 and Section 9)
NSF/ANSI/CAN 372-2022

MISC:
AB 1953

SHANGHAI ANHE ENVIRONMENTAL TESTING TECHNOLOGY CO LTD

4F, 6# BUILDING, LANE 180 / JINXI, ROAD, SONGJIANG DIST

SHANGHAI, 201603

CHINA

Contact: DONNA GU

Phone: 86-21-57863656

Fax: 86-21-57808579

Lab#: 0000105

Expires: 12/31/2023

Number of Employees: 18

Tests to Standards:

NSF/ANSI:

NSF/ANSI 42-2022 (Sections: 4.2, 5.1, 6.6, 6.8, 7.3.2, 7.3.3)

NSF/ANSI 53-2022 (Sections: 4.2, 5.1, 6.8, 6.10, 6.11, 7.2.5, 7.3.2, 7.4.3)

NSF/ANSI 58-2022 (Sections: 4.4, 5.1, 6.8)

TAIWAN PLUMBING RESEARCH & TESTING LABORATORIES

NO. 25, 37TH ROAD / INDUSTRIAL PARK

TAICHUNG, R.O.C.

TAIWAN

Contact: MR. CHI-HONG YAO

Phone: 886-4 2350-2169

Fax: 886-4-2350-2127

Lab#: 000067

Expires: 12/31/2023

Number of Employees: 43

Tests to Standards:

ASME:

ASME A112.18.1-2018/CSA B125.1-2018 (Except toxicity per Section 4.9)

ASME A112.18.2-2020/CSA B125.2-20

ASME A112.18.3-2002 (R2012) (Section 12.1, 12.2 only)

ASME A112.18.6-2017/CSA B125.6-17 (Except 4.1.1 for Toxicity)

ASSE:

ASSE 1014-2020

ASSE 1016-2017/ASME A112.1016-2017/CSA B125.16-17

ASSE 1019-2011

ASSE 1070-2015/ASME A112.1070-2015/ CSA B125.70-15

EPA:

EPA WaterSense High-Efficiency Lavatory Faucet Specification, Version 1.2 Dated 2007-10-01

EPA WaterSense Specification for Showerheads, Version 1.1 Dated 2018-07-26

NSF:

NSF/ANSI 61-2022 (For Metal Only)

NSF/ANSI 372-2022

MISC:

AB 1953